

# 招标文件

项目编号：GC-FGX211529

项目名称：北京理工大学中关村校区后勤运行部分项目服务人员  
采购项目

中央国家机关政府采购中心

2021年11月

.....	3
.....	5
.....	10
.....	23
.....	23
.....	23
.....	30
.....	33



\*

2



		*
		11

---


---


---




---


---

**1.**

1.1

1.2

**2.**

2.1

2.2

2.3

2.4

**3.**

3.1

3.2

3.3

3.4

3.5

---

3.6

**4.**

4.1

**5.**

5.1

**6.**

6.1

---

6.2

7.

**8.**

**9.**

9.1

9.2

9.3

9.4

9.5

9.6

---

**10.**

10.1

10.2

10.3

**11.**

11.1

11.2

---

11.3

---

11.4



---

**15.**

15.1

**16.**

16.1

16.2

16.3

**17.**

17.1

17.2

17.3

17.4

17.5

**18.**

**19.**

19.1

19.2



---

19.3

19.4

**20.**

20.1

20.2

20.3

20.4

**21.**

21.1

21.2

---

21.3

21.4

**22.**

**23.**

**24.**

24.1

24.2

---

**25.**

25.1

25.2

**26.**

26.1

26.2

**27.**

27.1

27.2

27.3

**28.**

28.1



---

**32.**

32.1

---

32.5

32.6

**33.**

**36.**

190		
/		

--	--	--

	/	/ 25% 100	25.0 0.0-25.0
	/	2 1 0	2.0 0.0-2.0
		0 3	3.0 0.0-3.0
		ISO9001 GB/T19001 ISO14001 GB/T24001 OHSAS18001 ISO45001 GB/T28001 ISO5001 GB/T23331 2 8	8.0 0.0-8.0
		8 40	16.0 0.0-16.0



		<p style="text-align: right;">4</p> <p style="text-align: center;">2</p> <p style="text-align: center;">2                      1</p> <p>0.5</p> <p style="text-align: center;">12                      6</p> <p style="text-align: center;">8      40</p> <p style="text-align: center;">                    4</p> <p style="text-align: center;">2</p> <p style="text-align: center;">2                      1</p> <p>0.5</p> <p style="text-align: center;">12                      6</p>	
		<p style="text-align: center;">19      1</p> <p>1    45</p> <p style="text-align: center;">2                      2</p> <p style="text-align: center;">1                      3</p>	19.0 0.0-19.0

		<p>1 2 1 50</p> <p>2</p> <p>2 1</p> <p>3 1</p> <p>3 1 45</p> <p>2 2</p> <p>2 3</p> <p>3 , 1 .4 1</p> <p>45</p> <p>2 2 2</p> <p>12</p> <p>6</p>	
		<p>11 1</p> <p>1</p> <p>2 2</p> <p>1 3</p> <p>1 4</p> <p>A4 1</p> <p>5</p> <p>1 2</p>	11.0 0.0-11.0

		2 3	
		3	
		12 6	
		55 , 2	2.0 0.0-2.0
		90% 55	
		1 0	
		1	6.0 0.0-6.0
	-	6	
		6 3 1 0	
		2.	6.0 0.0-6.0
	-	6	
		1 0.5 0	
		1 0.5	
		0 1	

		0.5	0		
			1	0.5	
		0		1	
		0.5	0		
		1	0.5	0	
		3.		1	1.0 0.0-1.0
	-	1	0.5	0	
		4.		1	1.0 0.0-1.0
	-	1	0.5	0	

1

2

---

3

—

—

—


—

—

—

—

4

---

1

1

---

---

2

1

15

10

DB11/T1004

100%

2

3

/

"

GB 3096

4



---

3

1

2

3

4

5

---

6

4

1

---

















---

5

1

—  
—  
—

/

/ ,

2

—  
  
  
—

3

—  
  
—

6

1

—

2

—  
—  
—  
—

7

1

—  
  
—  
—  
  
—

"

"



---

8

1

---

---

1

2

1

---

2

---

3

---

---

---

---

---

---

2

---

---

2

---

---

---

2

1

---

---

---

---

2

---

---

---

---

---

---

---

3

---

---

3

1

---

---

1

---

---

A4

2

---


---










---

1  
—

2  
  1

—

1




---


---

--	--	--


---


---







---

1

---


---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

\_\_\_\_\_

“ ”

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

---

---

---

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

" "

" "

" "

" "



---

---

---

---

---

---

---

---

---

---

---



---

---

--	--


" "

---

---


---

---

---

---

---

---





---

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_


\_\_\_\_\_

---

<hr/>	<hr/>	<hr/>
<hr/>	<hr/>	<hr/>
<hr/>	<hr/>	<hr/>
<hr/>	<hr/>	<hr/>
<hr/>	<hr/>	<hr/>

---

---

---

---

---

---


---



---






---


---




---

---

---

---

---

---

---



